

EDITED BY CUSTOMER ENGINEERING DIVISION

12/6/78

TELECOMMUNICATIONS DIAGNOSTICS

All of the latest T.C. diagnostics have the capability of reading the revision level of the T.C. controller PROM chip and comparing that Revision level with a constant in the T.C. diagnostic program. However, the diagnostics are older than the latest PROM revisions and therefore will not display a prompt for an outdated T.C. PROM.

PROCEDURE: To modify the 8K and 16K T.C. Diagnostics to check for the latest PROM revision level, change the following program lines:

- A) 2200 peripheral diagnostic T.C. tape #701-0424. 8K T.C. diagnostic (T27D010B) and 16K T.C. diagnostic (T27D030B) change the following lines:

Line 3080 GOSUB '99 ("2227B", 5,.....
to 3080 GOSUB '99 ("2227B", 6,.....

Line 3110 GOSUB '99 ("2228B", 2,.....
to 3110 GOSUB '99 ("2228B", 3,.....

Line 3120 GOSUB '99 ("OP62", 1,.....
to 3120 GOSUB '99 ("OP62", 2,.....

Line 3130 GOSUB '99 ("OP62B", 2,.....
to 3130 GOSUB '99 ("OP62B", 3,.....

NOTICE:

This document is the property of Wang Laboratories, Inc. Information contained herein is considered company proprietary information and its use is restricted solely to the purpose of assisting you in servicing Wang products. Reproduction of all or any part of this document is prohibited without the consent of Wang Laboratories.

WANG

LABORATORIES, INC.

1 INDUSTRIAL AVENUE, LOWELL, MASSACHUSETTS 01851. TEL (617) 851 4111. TWX 710 343-6769. TELEX 94 7421

Printed in U.S.A.
13-210A

Also line 3150 must be deleted (line 3150 states "If B1=2 then 3210") otherwise any revision level of the 2228B will run through the diagnostic (updated or not).

- B) 2200 peripheral diagnostic diskette #701-2180C. Change the same lines as with tape #701-0424, except line 3150 should not be deleted.

- C) PCSII peripheral diagnostic minidiskette #701-8001A 8K T.C. diagnostic (T27D060B) and 16K T.C. diagnostic (T27D050B) change the following lines:

```
Line 3120  GOSUB '99 ("OP62", 1,.....  
to 3120  GOSUB '99 ("OP62", 2,.....
```

```
Line 3130  GOSUB '99 ("OP62B", 2,.....  
to 3130  GOSUB '99 ("OP62B", 3,.....
```

Also delete from line 3140: If B1=2 then 3210.

END